Triangles Exercise 16A

Q1

Answer:

We get a triangle by joining the three non-collinear points A, B and C.

- (i) The side opposite to ∠C is AB.
- (ii) The angle opposite to the side BC is ∠A.
- (iii) The vertex opposite to the side CA is B.
- (iv) The side opposite to the vertex B is AC.

Q2

Answer:

The measures of two angles of a triangle are 72° and 58°.

Let the third angle be x.

Now, the sum of the measures of all the angles of a triangle is 180°.

..
$$x + 72^{\circ} + 58^{\circ} = 180^{\circ}$$

 $\Rightarrow x + 130^{\circ} = 180^{\circ}$
 $\Rightarrow x = 180^{\circ} - 130^{\circ}$
 $\Rightarrow x = 50^{\circ}$

The measure of the third angle of the triangle is 50°.

Answer:

The angles of a triangle are in the ratio 1:3:5.

Let the measures of the angles of the triangle be (1x), (3x) and (5x) $\,$

Sum of the measures of the angles of the triangle = 180°

```
∴ 1x + 3x + 5x = 180^{\circ}

⇒ 9x = 180^{\circ}

⇒ x = 20^{\circ}

1x = 20^{\circ}

3x = 60^{\circ}

5x = 100^{\circ}
```

The measures of the angles are 20°, 60° and 100°.

Q4

Answer:

In a right angle triangle, one of the angles is 90°.

It is given that one of the acute angled of the right angled triangle is 50°.

We know that the sum of the measures of all the angles of a triangle is 180°.

Now, let the third angle be x.


Therefore, we have:

90° + 50° +
$$x = 180°$$
⇒ $140° + x = 180°$
⇒ $x = 180° - 140°$
⇒ $x = 40°$

The third acute angle is 40°.

Q5

Answer:



Given

 $\angle A = 110^{\circ}$ and $\angle B = \angle C$

Now, the sum of the measures of all the angles of a traingle is 180°

$$\angle A + \angle B + \angle C = 180^{\circ}$$

 $\Rightarrow 110^{\circ} + \angle B + \angle B = 180^{\circ}$
 $\Rightarrow 110^{\circ} + 2\angle B = 180^{\circ}$
 $\Rightarrow 2\angle B = 180^{\circ} - 110^{\circ}$
 $\Rightarrow 2\angle B = 70^{\circ}$
 $\Rightarrow 2\angle B = 70^{\circ} / 2$
 $\Rightarrow \angle B = 35^{\circ}$

∴ ∠C = 35°

The measures of the three angles:

∠A = 110°, ∠B = 35°, ∠C = 35°

```
Answer:
  Given:
   \angle A = \angle B + \angle C
  We know:
       ∠A + ∠B + ∠C = 180°
     \Rightarrow \angleB +\angleC + \angleB + \angleC = 180°
     ⇒ 2∠B + 2∠C = 180°
     \Rightarrow 2(\angle B + \angle C) = 180^{\circ}
     \Rightarrow /B + /C = 180/2
     ⇒ ∠B + ∠C = 90°
  This shows that the triangle is a right angled triangle
 Q7
  Answer:
  Let 3 \angle A = 4 \angle B = 6 \angle C = x
  Then, we have:
   \angle A = \frac{x}{3}, \angle B = \frac{x}{4}, \angle C = \frac{x}{6}
   But, \angle A + \angle B + \angle C = 180^{\circ}
   \therefore \frac{\mathbf{x}}{3} + \frac{\mathbf{x}}{4} + \frac{\mathbf{x}}{6} = 180^{\circ}
   or \frac{4x + 3x + 2x}{12} = 180^{\circ}
   or 9x = 180^{\circ} \times 12 = 2160^{\circ}
   or x = 240^{\circ}
   \therefore \angle A = \frac{240}{3} = 80^{\circ}, \angle B = \frac{240}{4} = 60^{\circ}, \angle C = \frac{240}{6} = 40^{\circ}
 Q9
Answer:
Equilateral Triangle: A triangle whose all three sides are equal in length and each of the three angles
Isosceles Triangle: A triangle whose two sides are equal in length and the angles opposite them are
equal to each other.
Scalene Triangle: A triangle whose all three sides and angles are unequal in measure
(i) Isosceles
  AC = CB = 2 cm
(ii) Isosceles
  DE = EF = 2.4 cm
(iii) Scalene
  All the sides are unequal
(iv) Equilateral
   XY = YZ = ZX = 3 \text{ cm}
(v) Equilateral
    All three angles are 60°.
    Two angles are equal in measure
(vii) Scalene
   All the angles are unequal.
Q10
In \triangleABC, if we take a point D on BC, then we get three triangles, namely \triangleADB, \triangleADC and \triangleABC
Q11
```

Downloaded from www.studiestoday.com

Answer:

(i) No

If the two angles are 90° each, then the sum of two angles of a triangle will be 180°, which is not possible.

(ii) No

For example, let the two angles be 120° and 150° . Then, their sum will be 270° , which cannot form a triangle.

(iii) Yes

For example, let the two angles be 50° and 60° , which on adding, gives 110° . They can easily form a triangle whose third angle is 180° - 110° = 70° .

(iv) No

For example, let the two angles be 70° and 80° , which on adding, gives 150° . They cannot form a triangle whose third angle is 180° - 150° = 30° , which is less than 60° .

(v) No

For example, let the two angles be 50° and 40° , which on adding, gives 90° . Thus, they cannot form a triangle whose third angle is 180° - 90° = 90° , which is greater than 60° .

(vi) Yes

Sum of all angles = 60° + 60° + 60° = 180°

Q12

Answer:

- (i) A triangle has 3 sides 3 angles and 3 vertices.
- (ii) The sum of the angles of a triangle is 180º.
- (iii) The sides of a scalene triangle are of different lengths.
- (iv) Each angle of an equilateral triangle measures 60º
- (v) The angles opposite to equal sides of an isosceles triangle are equal
- (vi) The sum of the lengths of the sides of a triangle is called its perimeter.

Triangles Exercise 16B

```
01
Answer:
Correct option: (c)
A triangle has 6 parts: three sides and three angles.
Answer:
Correct option: (b)
(a) Sum = 30^{\circ} + 60^{\circ} + 70^{\circ} = 160^{\circ}
    This is not equal to the sum of all the angles of a triangle
(b) Sum = 50^{\circ} + 70^{\circ} + 60^{\circ} = 180^{\circ}
   Hence, it is possible to construct a triangle with these angles.
(c) Sum = 40^{\circ} + 80^{\circ} + 65^{\circ} = 185^{\circ}
   This is not equal to the sum of all the angles of a triangle.
(d) Sum = 72^{\circ} + 28^{\circ} + 90^{\circ} = 190^{\circ}
    This is not equal to the sum of all the angles of a triangle
 (b) 80°
Let the measures of the given angles be (2x)°, (3x)° and (4x)°.
(2x)^{0} + (3x)^{0} + (4x)^{0} = 180^{0}
  \Rightarrow (9x)^0 = 180^0
  \Rightarrow x = 180 / 9
  \Rightarrow x = 20°
 \therefore 2x = 40^{\circ}, 3x = 60^{\circ}, 4x = 80^{\circ}
Hence, the measures of the angles of the triangle are 40°, 60°, 80°,
 Thus, the largest angle is 80°.
04
 Answer:
Correct option: (d)
The measure of two angles are complimentary if their sum is 90° degrees.
Let the two angles be x and y, such that x + y = 90^{\circ}
Let the third angle be z.
Now, we know that the sum of all the angles of a triangle is 180°
  x + y + z = 180^{\circ}
 \Rightarrow 90^{\circ} + z = 180^{\circ}
 \Rightarrow z = 180^{\circ} - 90^{\circ}
      = 900
 The third angle is 90°.
Q5
Answer:
Correct option: (c)
Let ∠A = 70°
The triangle is an isosceles triangle.
We know that the angles opposite to the equal sides of an isosceles triangle are equal.
We need to find the vertical angle ∠C.
Now, sum of all the angles of a triangle is 180°
   \angle A + \angle B + \angle C = 180^{\circ}
\Rightarrow 70^{\circ} + 70^{\circ} + \angle C = 180^{\circ}
\Rightarrow 140^{\circ} + \angle C = 180^{\circ}
⇒ ∠C = 180° - 140°
\Rightarrow \angle C = 40^{\circ}
06
Answer:
Correct option: (c)
A triangle having sides of different lengths is called a scalene triangle
```

Downloaded from www.studiestoday.com

Answer

```
Correct option: (a)
 In the isosceles ABC, the bisectors of ∠B and ∠C meet at point O
 Since the triangle is isosceles, the angles opposite to the equal sides are equal.
 \therefore \angle A + \angle B + \angle C = 180^{\circ}
  ⇒ 40° + 2∠B = 180°
  ⇒ 2∠B = 140°
  ⇒ ∠B = 70°
 Bisectors of an angle divide the angle into two equal angles
 So, in \Delta BOC:
 ∠OBC = 35° and ∠OCB = 35°
 ∠BOC + ∠OBC + ∠OCB = 180°
  ⇒ ∠BOC + 35° + 35° = 180°
  ⇒ ∠BOC = 180° - 70°
  ⇒ ∠BOC = 110°
Q8
 Answer:
Correct option: (b)
The sides of a triangle are in the ratio 3:2:5
Let the lengths of the sides of the triangle be (3x), (2x), (5x).
 Sum of the lengths of the sides of a triangle = Perimeter
  (3x) + (2x) + (5x) = 30
  \Rightarrow 10x = 30
  \Rightarrow x = 30
        10
  \Rightarrow x = 3
 First side = 3x = 9 cm
 Second side = 2x = 6 cm
 Third side = 5x = 15 cm
 The length of the longest side is 15 cm.
09
Answer:
Correct option: (d)
Two angles of a triangle measure 30° and 25°, respectively.
 Let the third angle be x.
  x + 30^{\circ} + 25^{\circ} = 180^{\circ}
            x = 180^{\circ} - 55^{\circ}
              x = 125^{\circ}
Q10
Answer:
Correct option: (c)
Each angle of an equilateral triangle measures 60°.
Q11
 Answer:
 Correct option: (c)
 Point P lies on ΔABC
```

Downloaded from www.studiestoday.com