Rational Numbers Exercise 4A

Q1	
Answer:	
The numbers that are in the form of $\frac{p}{q}$, where p and q are integers and q $\neq 0$, are called rational numbers.	
For example:	
Five positive rational numbers:	
$\frac{5}{7}, \frac{-3}{-4}, \frac{7}{8}, \frac{-14}{-15}, \frac{5}{9}$	
Five negative rational numbers:	
$\frac{-3}{7}$, $\frac{-3}{8}$, $\frac{8}{-9}$, $\frac{-19}{25}$, $\frac{8}{-25}$	
Yes, there is a rational number that is neither positive nor negative, i.e. zero (0).	
Q3	
Answer:	
(i) $\frac{8}{19}$ Numerator = 8 Denominator =19	
$(ii)\frac{5}{-8}$	
Numerator = 5	
Denominator = −8	
(iii) $\frac{-13}{5}$	
Numerator = -13	
Denominator =15	

```
Numerator = -8
Denominator = -11
(v) 9
i.e \frac{9}{1}
Numerator = 9
Denominator = 1
Q4
Answer:
(i) 5
The rational number will be \frac{5}{1}
Numerator = 5
Denominator = 1
The rational number will be \frac{-3}{1}
Numerator = -3
Denominator = 1
The rational number will be \frac{1}{1}
Numerator = 1
Denominator = 1
 (iv) 0
 The rational number will be \frac{0}{1}
 Numerator =0
 Denominator = 1
 (v) -23
The rational number will be \frac{-23}{1}
Numerator = -23
 Denominator = 1
Q5
Answer:
Positive rational numbers:
(iii) \frac{-5}{-8}
(vi) 8 because 8 can be written as \frac{8}{1}, where 1 \neq 0.
0 is neither positive nor negative.
06
Answer:
Negative rational numbers:
(iii) \frac{-5}{7}
(iv) \frac{4}{9}
(v) -6
(Vi) \frac{1}{-2}
Q7
```

Downloaded from www.studiestoday.com

Answer

(i) Following are the four rational numbers that are equivalent to
$$\frac{6}{11}$$
. $\frac{6\times2}{11\times2}$, $\frac{6\times3}{11\times3}$, $\frac{6\times4}{11\times4}$ and $\frac{6\times5}{11\times5}$

i.e.
$$\frac{12}{22}$$
, $\frac{18}{33}$, $\frac{24}{44}$ and $\frac{30}{55}$

(ii) Following are the four rational numbers that are equivalent to
$$\frac{-3}{8}$$
. $\frac{-3\times2}{8\times2}$, $\frac{-3\times3}{8\times3}$, $\frac{-3\times4}{8\times4}$ and $\frac{-3\times5}{8\times5}$

i.e.
$$\frac{-6}{16}$$
, $\frac{-9}{24}$, $\frac{-12}{32}$ and $\frac{-15}{40}$

(iii) Following are the four rational numbers that are equivalent to
$$\frac{7}{-15}$$
. $\frac{7\times2}{-15\times2}$, $\frac{7\times3}{-15\times3}$, $\frac{7\times4}{-15\times4}$ and $\frac{7\times5}{-15\times5}$

(iv) Following are the four rational numbers that are equivalent to 8, i.e.
$$\frac{8}{1}$$
. $\frac{8\times2}{1\times2}$, $\frac{8\times3}{1\times2}$, $\frac{8\times4}{1\times2}$ and $\frac{8\times5}{1\times5}$

i.e.
$$\frac{16}{2}$$
, $\frac{24}{3}$, $\frac{32}{4}$ and $\frac{40}{5}$

(v) Following are the four rational numbers that are equivalent to -1, i.e.
$$\frac{1}{1}$$
. $\frac{1\times2}{1\times2}$, $\frac{1\times3}{1\times3}$, $\frac{1\times4}{1\times4}$ and $\frac{1\times5}{1\times5}$

i.e.
$$\frac{2}{2}$$
, $\frac{3}{3}$, $\frac{4}{4}$ and $\frac{5}{5}$

(vi) Following are the four rational numbers that are equivalent to -1, i.e.
$$\frac{-1}{1}$$
. $\frac{-1\times2}{1\times2}$, $\frac{-1\times3}{1\times3}$, $\frac{-1\times4}{1\times4}$ and $\frac{-1\times5}{1\times5}$

i.e.
$$\frac{-2}{2}, \frac{-3}{3}, \frac{-4}{4}$$
 and $\frac{-5}{5}$

08

Answer:

(i)
$$\frac{12 \times (-1)}{(-17) \times (-1)} = \frac{-12}{17}$$

(ii)
$$\frac{1 \times (-1)}{(-2) \times (-1)} = \frac{-1}{2}$$

(iii)
$$\frac{-8}{-19} = \frac{-8 \times (-1)}{(-19) \times (-1)} = \frac{8}{19}$$

(iv)
$$\frac{11 \times (-1)}{-6 \times (-1)} = \frac{-11}{6}$$

Q9

Answer:

(i) Numerator of
$$\frac{5}{8}$$
 is 5.

Multiplying both the numerator and the denominator by 3:

$$\frac{5\times3}{8\times3} = \frac{15}{24}$$

$$\frac{5}{8} = \frac{15}{24}$$

(ii) Numerator of
$$\frac{5}{8}$$
 is 5.

Multiplying both the numerator and the denominator by -2:

$$\frac{5 \times (-2)}{8 \times (-2)} = \frac{-10}{-16}$$

$$\frac{5}{8} = \frac{-10}{-16}$$

Answer: (i) Denominator of $\frac{4}{7}$ is 7 7 should be multiplied by 3 to get 21 Multiplying both the numerator and the denominator by 3: $\frac{4 \times 3}{7 \times 3} = \frac{12}{21}$ $\frac{4\times3}{7\times2} = \frac{4}{7}$ Denominator of $\frac{4}{7}$ is 7 7 should be multiplied by -5 to get -35. Multiplying both the numerator and the denominator by -5 $\frac{4}{7} = \frac{-20}{25}$ Q11 Answer: (i) Numerator of $\frac{-12}{13}$ is -12. -12 should be multiplied by 4 to get 48. Multiplying both the numerator and the denominator by 4: $\frac{-12\times4}{13\times4} = \frac{-48}{52}$ $\frac{-12}{13} = \frac{-48}{52}$ (ii) Numerator of $\frac{-12}{13}$ is -12. -12 should be multiplied by -5 to get 60 Multiplying its numerator and denominator by -5: $\frac{-12 \times (-5)}{13 \times (-5)} = \frac{60}{-65}$ $\frac{-12}{13} = \frac{60}{-65}$ 012 Answer: (i) Denominator of $\frac{-8}{11}$ is 11. Clearly, $11 \times 2 = 22$ Multiplying both the numerator and the denominator by 2: $\frac{-8\times2}{11\times2} = \frac{-16}{22}$ $\frac{-8}{11} = \frac{-16}{22}$ (ii) Denominator of $\frac{-8}{11}$ is 11. Clearly, 11×5=55 Multiplying both the numerator and the denominator by 5 $\frac{-8 \times 5}{11 \times 5} = \frac{-40}{55}$

 $\frac{-8}{11} = \frac{-40}{55}$

```
(i) Numerator of \frac{14}{-5} is 14.
 Clearly, 14×4=56
Multiplying both the numerator and the denominator by 4:
 \frac{14}{-5} = \frac{56}{-20}
Numerator of \frac{14}{-5} is 14
 Clearly, 14 \times (-5) = -70
Multiplying both the numerator and the denominator by -5:
 \frac{14 \times (-5)}{(-5) \times (-5)} = \frac{-70}{25}
 \frac{14}{-5} = \frac{-70}{25}
Q14
Answer:
(i) Denominator of \frac{13}{-8} is -8.
Clearly, (-8) \times 5 = -40
Multiplying both the numerator and the denominator by 5:
\frac{13\times5}{-8\times5} = \frac{65}{-40}
 \frac{13}{8} = \frac{65}{40}
(ii) Denominator of \frac{13}{-8} is -8.
Clearly, (-8) \times (-4) = 32
Multiplying both the numerator and the denominator by -4:
 \frac{13 \times (-4)}{-8 \times (-4)} = \frac{-52}{32}
 \frac{13}{-8} = \frac{-52}{32}
Q15
Answer:
(i) Numerator of \frac{-36}{24} is -36.
Clearly, (-36) \div 4 = (-9)
Dividing both the numerator and the denominator by 4:
 \frac{-36 \div 4}{24 \div 4} = \frac{-9}{6}
(ii) Numerator of \frac{-36}{24} is -36
Clearly, (-36) \div (-6) = 6
Dividing both the numerator and the denominator by -6:
\frac{-36}{24} = \frac{6}{-4}
Q16
```

```
(i) Denominator of \frac{84}{-147} is -147.
  ∴ -147 ÷(-21)=7
 Dividing both the numerator and the denominator by -21:
  \frac{84 \div (-21)}{-147 \div (-21)} = \frac{-4}{7}
  \frac{84}{-147} = \frac{-4}{7}
 (ii)Denominator of \frac{84}{-147} is -147
 Dividing both the numerator and the denominator by 3:
   \frac{84:3}{-147:3} = \frac{28}{-49}
  \frac{84}{-147} = \frac{28}{-49}
Q17
Answer:
H.C.F. of 35 and 49 is 7.
Dividing the numerator and the denominator by 7:
So, \frac{35}{49} is equal to \frac{5}{7} in the standard form.
 Denominator is -36, which is negative.
Multiplying both the numerator and the denominator by -1:
H.C.F. of 8 and 36 is 4.
Dividing its numerator and denominator by 4:
\frac{-8 \div 4}{36 \div 4} = \frac{-2}{9}
So, \frac{8}{-36} is equal to \frac{-2}{9} in the standard form.
```

(iii)
$$\frac{27}{45}$$
 (1
27) $\frac{45}{45}$ (1
27) $\frac{45}{18}$ (1
28) $\frac{27}{18}$ (1
29) $\frac{18}{2}$ (2
 $\frac{-18}{8}$ M.C.F. of 2 and 45 is 9 .

Dividing its numerator and denominator by 9 :
$$\frac{-27\cdot9}{45\cdot9} = \frac{-3}{5}$$
Hence, $\frac{-27}{45}$ is equal to $\frac{-3}{5}$ in the standard form.

(iv) $\frac{-14}{-46}$
The denominator is negative.

Multiplying its numerator and denominator by -1 :
$$\frac{-14\times(-1)}{-49\times(-1)} = \frac{14}{40}$$
H.C.F. of 14 and 49 is 7 .

Dividing both the numerator and the denominator by 7 .
$$\frac{14\cdot7}{49\cdot7} = \frac{7}{7}$$
Hence, $\frac{-14}{40}$ is equal to $\frac{2}{7}$ in the standard form.

(v) $\frac{91}{-78}$
The denominator is negative.

Multiplying its denominator and denominator by -1 :
$$\frac{91\cdot(-1)}{-78\cdot(-1)} = \frac{-91}{78}$$
 $78\cdot\frac{91}{78\cdot13} = \frac{7}{6}$
H.C.F. of 91 and 78 is 13 .

Dividing both the numerator and the denominator by 13 :
$$\frac{-91\cdot(-1)}{-78\cdot(-1)} = \frac{-91}{78}$$
is equal to $\frac{-91\cdot(-1)}{6}$ in the standard form.

(vi) $\frac{-68}{119}$
68) $\frac{119}{119}$ (1
 $\frac{-68}{119}$ is equal to $\frac{-7}{6}$ in the standard form.

(vi) $\frac{-68}{119}$
H.C.F. of 91 and 91 is 91 is 91 in the standard form.

(vi) $\frac{-68}{119}$ is equal to $\frac{-7}{6}$ in the standard form.

(vii)
$$\frac{-61}{116}$$

87) $\frac{116}{116}$

87) $\frac{116}{29}$

87) $\frac{-87}{29}$

H.C. F. of 87 and

 $\left(vii\right) \frac{-87}{116}$

H.C.F. of 87 and 116 is 29

Dividing both the numerator and the denominator by 29:

$$\frac{-87 \div 29}{116 \div 29} = \frac{-3}{4}$$

Hence, $\frac{-87}{116}$ is equal to $\frac{-3}{4}$ in the standard form.

$$\left(\text{viii}\right) \frac{299}{-161}$$

The denominator is negative.

Multiplying both the numerator and denominator by -1:

$$\frac{299 \times (-1)}{-161 \times (-1)} = \frac{-299}{161}$$

$$161)\underline{\frac{1299}{161}}(1)$$

$$138)\underline{\frac{161}{138}}(1)$$

$$23)\underline{\frac{138}{138}}(6)$$

H.C.F. of 299 and 161 is 23.

Dividing both the numerator and the denominator by 23:

$$\frac{-299 \div 23}{161 \div 23} = \frac{-13}{7}$$

Hence, $\frac{299}{-161}$ is equal to $\frac{-13}{7}$ in the standard form.

Q18

Answer:


$$\frac{-9 \times 4}{5 \times 4} = \frac{-36}{20}$$


$$\frac{-9 \times (-3)}{5 \times (-3)} = \frac{27}{-15}$$

$$\frac{-9 \times 5}{5 \times 5} = \frac{-45}{25}$$

$$\therefore \frac{-9}{5} = \frac{-36}{20} = \frac{27}{-15} = \frac{-45}{25}$$

$$\begin{array}{l} \text{(ii)} \\ \frac{-6 \times 3}{11 \times 3} = \frac{-18}{33} \\ \frac{-6 \times 4}{11 \times 4} = \frac{-24}{44} \\ \vdots \quad \frac{-6}{11} = \frac{-18}{33} = \frac{-24}{44} \end{array}$$





Downloaded from www.studiestoday.com

Answer

(i)
$$\frac{8}{-12}$$
 and $\frac{-10}{15}$

$$8 \times 15 = (-10) \times (-12)$$

$$\frac{8}{-12} = \frac{-10}{15}$$

Therefore, the rational numbers are equal.

ii)
$$\frac{-3}{9}$$
, $\frac{7}{-21}$

$$(-3)\times(-21)=63$$

And 7× 9=63

$$(-3)\times(-21) = 7\times9$$

$$\frac{-3}{9} = \frac{7}{-21}$$

Therefore, the rational numbers are equal.

$$(iii) \frac{-8}{-14}, \frac{15}{21}$$

$$(-8) \times 21 = -168$$

And
$$15 \times (-14) = -210$$

$$(-8) \times 21 \neq 15 \times 14$$

Therefore, the rational numbers are not equal.

Q22

Answer:

(i) False

For example, -1 is smaller than zero and is a rational number.

(ii)True

All integers can be written with the denominator 1.

(iii) False

Though 0 is an integer, when the denominator is 0, it is not a rational number.

For example, $\frac{1}{0}$ is not a rational number.

(iv)True

(v) False

-1 is a rational number but not a fraction.

Rational Numbers Exercise 4B

Q2 Answer: (i) $\frac{5}{6}$. This is because 0 can be written as $\frac{0}{6}$ and $\frac{0}{6} < \frac{5}{6}$. (ii) $\frac{-3}{5}$ < 0. This is because 0 can be written as $\frac{0}{5}$ and -3 < 0. (iii) $\frac{5}{8} > \frac{3}{8}$. This is because 5 > 3. (iv) $\frac{7}{9} > \frac{5}{9}$. This is because 7 > 5. $\left(v\right)\frac{-6}{11} < \frac{-5}{11}$. This is because -6 < -5. $\left(\text{vi}\right)\frac{-15}{4} > \frac{-17}{4}, -15 > -17$ Q3 Answer: $(i) \frac{5}{9}, \frac{-3}{-8}$ $\frac{(-3)\times(-1)}{(-8)\times(-1)} = \frac{3}{8}$ L. C.M. of 9 and 8 is 72. $\frac{5\times8}{9\times8} = \frac{40}{72}$ $\frac{3\times 9}{8\times 9} = \frac{27}{72}$ 27 < 40 $\frac{-3}{-8} < \frac{5}{9}$

So, $\frac{5}{9}$ is greater.

We will convert each negative denominator into positive.

$$\frac{4\times-1}{-3\times-1} = \frac{-4}{3}$$

L.C.M. of 3 and 7 is 21.

$$\frac{-4\times(7)}{(3)\times(7)} = \frac{-28}{21}$$

$$\frac{(-8)\times 3}{7\times 3} = \frac{-24}{21}$$

$$(-24) > (-28)$$

$$\frac{-8}{7} > \frac{4}{(-3)}$$

So, $\frac{-8}{7}$ is greater.

$$\frac{-12}{5}, -3$$

L.C.M. of 5 and 1 is 5.

$$\frac{-12\times1}{5\times1} = \frac{-12}{5}$$

$$\frac{-3\times5}{1\times5} = \frac{-15}{5}$$

$$-12 > -15$$

$$\frac{-12}{5} > -3$$

$$\frac{-12}{5}$$
 is greater.

$$\frac{-7}{9}, \frac{-5}{8}$$

L.C.M. of 9 and 8 is 72.

$$\frac{-7 \times 8}{9 \times 8} = \frac{-56}{72}$$

$$\frac{-5 \times 9}{8 \times 9} = \frac{-45}{72}$$

$$-56 < -45$$

$$\tfrac{-7}{9}<\tfrac{-5}{8}$$

$$\left(v\right) \frac{4}{-5}, \frac{-7}{8}$$

We will convert each negative denominator into positive.

$$\frac{4 \times -1}{-5 \times -1} = \frac{-4}{5}$$

L.C.M. of 5 and 8 is 40.

$$\begin{array}{l} \frac{-4\times8}{5\times8} = \frac{-32}{40} \\ \frac{-7\times5}{8\times5} = \frac{-35}{40} \\ -32 > -35 \end{array}$$

$$\frac{-7 \times 5}{8 \times 5} = \frac{-35}{40}$$

$$-32 > -35$$

$$\frac{-4}{5} > \frac{-7}{8}$$

$$\left(\text{vi}\right) \frac{9}{-13}, \frac{7}{-12}$$

We will convert each negative denominator into positive.

$$\frac{9 \times -1}{-13 \times -1} = \frac{-9}{13}$$

$$\frac{\substack{7\times-1\\-12\times-1}}{=12} = \frac{-7}{12}$$


L. C. M. of 13 and 12 is 156.

$$\frac{-9 \times 12}{13 \times (-12)} = \frac{-108}{156}$$

$$\frac{-7 \times 13}{(-12) \times 13} = \frac{-91}{156}$$

$$-108 < -91$$

$$\tfrac{9}{-13}<\tfrac{7}{-12}$$



Required order: $\frac{2}{5} < \frac{13}{30} < \frac{8}{15} < \frac{7}{10}$

1,1,1,1

 $\frac{2 \times 6}{5 \times 6} = \frac{12}{30}$ $\frac{7 \times 3}{10 \times 3} = \frac{21}{30}$ $\frac{8 \times 2}{15 \times 2} = \frac{16}{30}$ $\frac{13 \times 1}{30 \times 1} = \frac{13}{30}$

$$\left(ii
ight)rac{-3}{4},rac{5}{-12},rac{-7}{16},rac{9}{-24}$$

First, we need to convert each negative denominator into positive.

$$\begin{array}{c} -\frac{3}{4} \ , \frac{5 \times -1}{-12 \times -1} \ , \frac{-7}{16} \ , \frac{9 \times -1}{-24 \times -1} \\ -\frac{3}{4} \ , \frac{-5}{12} \ , \frac{-7}{16} \ , \frac{-9}{24} \end{array}$$

L. C. M. of 4, 12, 16 and 24 is 48.

$$\frac{-3\times12}{4\times12} = \frac{-36}{48}$$

$$\frac{-5\times4}{12\times4} = \frac{-20}{48}$$

$$\frac{-7\times3}{16\times3} = \frac{-21}{48}$$

$$\frac{-9\times2}{24\times2} = \frac{-18}{48}$$

Required order: $\frac{-3}{4} < \frac{-7}{16} < \frac{-5}{12} < \frac{-9}{24}$

$$\left(\text{iii}\right)\frac{-3}{10}, \frac{7}{-15}, \frac{-11}{20}, \frac{17}{-30}$$

First, we need to convert the negative denominators to make them positive.

$$\begin{array}{c} -3 \\ 10 \\ 7 \times -1 \\ -15 \times -1 \\ \hline , -7 \\ 10 \\ 10 \\ \end{array}, \begin{array}{c} -7 \\ -11 \\ 20 \\ 10 \\ \end{array}, \begin{array}{c} 17 \times -1 \\ -30 \times -1 \\ \hline , -7 \\ 10 \\ \end{array}$$

L. C. M of
$$10, 15, 20, 30 = 60$$

$$\frac{-3 \times 6}{10 \times 6} = \frac{-18}{60}$$

$$\frac{-7 \times 4}{15 \times 4} = \frac{-28}{60}$$

$$\frac{-11 \times 3}{20 \times 3} = \frac{-33}{60}$$

$$\frac{-17 \times 2}{20 \times 2} = \frac{-34}{60}$$

Therefore,
$$\frac{-34}{60} < \frac{-33}{60} < \frac{-28}{60} < \frac{-18}{60}$$

i.e.
$$\frac{-17}{30} < \frac{-11}{20} < \frac{-7}{15} < \frac{-3}{10}$$

$$\left(\text{iv}\right)\frac{2}{3},\frac{3}{4},\frac{5}{-6},\frac{-7}{12}$$

First, we need to convert the negative denominators to positive ones.

$$\frac{2}{3}, \frac{3}{4}, \frac{5 \times -1}{-6 \times -1}, \frac{-7}{12}$$
$$\frac{2}{3}, \frac{3}{4}, \frac{-5}{6}, \frac{-7}{12}$$

L. C. M of
$$3, 4, 6, 12 = 12$$

$$\frac{2\times4}{3\times4} = \frac{8}{12}$$

$$\frac{3\times3}{4\times3} = \frac{9}{12}$$

$$\frac{-5\times2}{6\times2} = \frac{-10}{12}$$

$$\frac{-7\times1}{12\times1} = \frac{-7}{12}$$

Therefore, the correct order is $\frac{-5}{6}<\frac{-7}{12}<\frac{2}{3}<\frac{3}{4}$.

Answer

$$\left(\mathrm{i}\right)\frac{-2}{5},\frac{7}{-10},\frac{-11}{15},\frac{19}{-30}$$

First, we need to convert each negative denominator into positive.

$$\begin{array}{c} -\frac{2}{5}, \frac{7\times -1}{-10\times -1}, \frac{-11}{15}, \frac{19\times -1}{-30\times -1} \\ \frac{-2}{5}, \frac{-7}{10}, \frac{-11}{15}, \frac{-19}{30} \end{array}$$

L.C.M. of 5, 10, 15 and 30 is 30.

$$\frac{-2\times 6}{5\times 6} = \frac{-12}{30}$$
,

$$\frac{-7\times3}{10\times3} = \frac{-21}{30}$$
,

$$\frac{-11\times2}{15\times2} = \frac{-22}{30}$$
,

$$\frac{-19\times1}{30\times1} = \frac{-19}{30},$$

Correct order: $\frac{-2}{5} > \frac{19}{-30} > \frac{7}{-10} > \frac{-11}{15}$

$$\left(\text{ii}\right) - 2, \frac{-13}{6}, \frac{8}{-3}, \frac{1}{3}$$

First, we need to convert each negative denominator into positive.

$$-2, \frac{-13}{6}, \frac{8\times-1}{-3\times-1}, \frac{1}{3}$$

$$-2,rac{-13}{6},rac{-8}{3},rac{1}{3}$$

L.C.M. of 6, 3 and 3 is 6.

$$\frac{-2\times 6}{1\times 6} = \frac{-12}{6}$$
,

$$\frac{-13\times1}{6\times1}=\frac{-13}{6}\,,$$

$$\frac{-8\times2}{3\times2} = \frac{-16}{6}$$

$$\frac{1\times2}{3\times2}=\frac{2}{6}$$
,

Correct order: $\frac{1}{3} > -2 > \frac{-13}{6} > \frac{-8}{3}$

$$\left(\text{iii}\right) \frac{-4}{9}, \frac{5}{-12}, \frac{-7}{18}, \frac{2}{-3}$$

First, we need to convert each negative denominator into positive.

$$\frac{-4}{9}$$
, $\frac{5\times-1}{-12\times-1}$, $\frac{-7}{18}$, $\frac{2\times-1}{-3\times-1}$

$$\frac{-4}{9}$$
, $\frac{-5}{12}$, $\frac{-7}{18}$, $\frac{-2}{3}$

L.C.M. of 9, 12, 18 and 3 is 36.

$$\frac{-4\times4}{9\times4} = \frac{-16}{36}$$

$$\frac{-5\times3}{12\times3} = \frac{-15}{36}$$

$$\frac{-7\times2}{18\times2} = \frac{-14}{36}$$

$$\frac{-2 \times 12}{3 \times 12} = \frac{-24}{36}$$

Correct order:
$$\frac{-7}{18} > \frac{-5}{12} > \frac{-4}{9} > \frac{-2}{3}$$

$$\left(\text{iv}\right)\frac{17}{-30},\frac{11}{-15},\frac{-7}{10},\frac{3}{5}$$

First, we need to convert each negative denominator into positive.

$$\frac{\frac{17\times-1}{-30\times-1}}{\frac{-17}{30}}, \frac{\frac{11\times-1}{-15\times-1}}{\frac{-17}{10}}, \frac{\frac{-7}{10}}{\frac{3}{5}}, \frac{\frac{-11}{10}}{\frac{-7}{10}}, \frac{3}{5}$$

L.C.M. of 30, 15, 10 and 5 is 30.

$$\frac{-17\times1}{30\times1} = \frac{-17}{30}$$

$$\frac{-11\times 2}{15\times 2} = \frac{-22}{30}$$
,

$$\frac{-7\times3}{10\times3} = \frac{-21}{30}$$

$$\frac{3\times6}{5\times6}=\frac{18}{30}$$
 ,

Correct order: $\frac{3}{5} > \frac{17}{-30} > \frac{-7}{10} > \frac{11}{-15}$

Q8

Answer

L.C.M. of 2 and 3 is 6.

$$-3 = \frac{-3 \times 6}{1 \times 6} = \frac{-18}{6}$$
$$-2 = \frac{-2 \times 6}{1 \times 6} = \frac{-12}{6}$$

Therefore, $\frac{-17}{6}$, $\frac{-16}{6}$, $\frac{-15}{6}$, $\frac{-14}{6}$ and $\frac{-13}{6}$ are the five rational number between -3

Q9.

Answer:

$$-1 = \frac{-1 \times 5}{1 \times 5}$$
, $1 = \frac{1 \times 5}{1 \times 5}$

$$\frac{-5}{5}$$
 and $\frac{5}{5}$

Hence, the five rational numbers between -1 and 1 are $\frac{-4}{5}$, $\frac{-3}{5}$, $\frac{-2}{5}$, $\frac{-1}{5}$ and $\frac{1}{5}$.

Q10

Answer:

$$\frac{-3}{5}$$
 and $\frac{-1}{2}$ L.C.M. of 5 and 2 is 10.

$$\frac{-3\times2}{5\times2} = \frac{-6\times4}{10\times4} = \frac{-24\times2}{40\times2} = \frac{-48}{80},$$

$$\frac{5\times2}{2\times5} = \frac{10\times4}{10\times4} = \frac{40\times2}{40\times2} = \frac{80}{80},$$

$$\frac{-1\times5}{2\times5} = \frac{-5\times4}{10\times4} = \frac{-20\times2}{40\times2} = \frac{-40}{80},$$

Hence, the five rational numbers between $\frac{-3}{5}$ and $\frac{-1}{2}$ are $\frac{-45}{80}$, $\frac{-44}{80}$, $\frac{-43}{80}$, $\frac{-42}{80}$ and $\frac{-41}{80}$.

Rational Numbers Exercise 4C

Q1
Answer:

$$\frac{\frac{(i)}{7}}{\frac{12}{7}} + \frac{3}{7} = \frac{12+3}{7} = \frac{15}{7}$$

$$\frac{\stackrel{\text{(ii)}}{-2}}{\frac{-2}{5}} + \frac{1}{5} = \frac{-2+1}{5} = \frac{-1}{5}$$

(iii)

$$\frac{3}{-8} \times \frac{-1}{-1} = \frac{-3}{8}$$

$$\frac{-3}{8} + \frac{1}{8} = \frac{-3+1}{8} = \frac{-2}{8}$$

(iv)

$$\begin{array}{c} \frac{7}{-11} \times \frac{-1}{-1} = \frac{-7}{11} \\ \\ \frac{-5}{11} + \frac{-7}{11} = \frac{-5 + (-7)}{11} = \frac{-5 - 7}{11} = \frac{-12}{11} \end{array}$$

(v)

$$\frac{-11}{-13} \times \frac{-1}{-1} = \frac{11}{13}$$

$$=\frac{-9}{13}+\frac{11}{13}=\frac{-9+11}{13}=\frac{2}{13}$$

(vi)

$$\frac{-2}{9} + \frac{-5}{9} = \frac{-2-5}{9} = \frac{-7}{9}$$

(VII)

$$\frac{(-17)}{9} + \frac{(-11)}{9} = \frac{-17-11}{9} = \frac{-28}{9}$$

 $\begin{array}{l} \text{(Viii)} \\ \frac{5}{-7} \times \frac{-1}{-1} = \frac{-5}{7} \end{array}$

$$\frac{-3}{7} + \frac{(-5)}{7} = \frac{-3-5}{7} = \frac{-8}{7}$$

02

Answer:

$$(i)\frac{-2}{5} + \frac{3}{4}$$

The denominators of the given rational numbers are 5 and 4.

L.C.M. of 5 and 4 is 20.

$$\frac{-2}{5} = \frac{(-2) \times 4}{5 \times 4} = \frac{-8}{20}$$
$$\frac{3}{4} = \frac{3 \times 5}{4 \times 5} = \frac{15}{20}$$

Now,
$$\frac{(-8)}{20} + \frac{15}{20} = \frac{-8+15}{20} = \frac{7}{20}$$

$$(ii)\frac{-5}{9}+\frac{2}{3}$$

The denominators of the given rational numbers are 9 and 3.

$$L.C.M.$$
 of 9 and 3 is 9.

$$\frac{-5}{9} = \frac{(-5) \times 1}{9 \times 1} = \frac{-5}{9}$$

$$\frac{2}{3} = \frac{2 \times 3}{3 \times 3} = \frac{6}{9}$$

Now,
$$\frac{(-5)}{9} + \frac{6}{9}$$

= $\frac{-5+6}{9}$

$$=\frac{-5+6}{9}$$

(iii)
$$-4 + \frac{1}{2}$$

The denominators of the given rational numbers are 1 and 2.

$$\frac{-4}{1} = \frac{(-4) \times 2}{1 \times 2} = \frac{-8}{2}$$

$$\frac{1}{2} = \frac{1 \times 1}{2 \times 1} = \frac{1}{2}$$

Now,
$$\frac{(-8)}{2} + \frac{1}{2}$$

= $\frac{-8+1}{2}$
= $\frac{-7}{2}$

$$= \frac{-7}{2}$$
$$= \frac{-7}{2}$$

$$\frac{(iV)}{\frac{-7}{27} + \frac{5}{18}}$$

The denominators of the given rational numbers are 27 and 18

L.C.M. of 27 and 18 is 54.

$$\frac{-7}{27} = \frac{(-7)\times 2}{27\times 2} = \frac{-14}{54}$$
$$\frac{5}{18} = \frac{5\times 3}{18\times 3} = \frac{15}{54}$$

Now,
$$\frac{(-14)}{54} + \frac{15}{54} = \frac{-14+15}{54}$$

= $\frac{1}{54}$

$$(v)\frac{-5}{36} + \left(\frac{-7}{12}\right)$$

The denominators of the given rational numbers are 36 and 12.

L.C.M. of 36 and 12 is 36

$$\frac{-5}{36} = \frac{(-5) \times 1}{36 \times 1} = \frac{-5}{36}$$
$$\frac{-7}{12} = \frac{-7 \times 3}{12 \times 3} = \frac{-21}{36}$$

Now,
$$\frac{(-5)}{36} + \frac{(-21)}{36} = \frac{-5-21}{36}$$

 $\frac{-26}{36} = \frac{-13}{18}$ (26 and 36 are divided by 2.)

$$\frac{1}{-9} + \left(\frac{4}{-27}\right)$$

We need a positive denominator.

$$\frac{1}{-9} \times \frac{-1}{-1} = \frac{-1}{9}$$
 and $\frac{4}{-27} \times \frac{-1}{-1} = \frac{-4}{27}$

The denominators of the given rational numbers are 9 and $\,$ 27

L.C.M. of 9 and 27 is 27

$$\frac{-1}{9} = \frac{(-1)\times 3}{9\times 3} = \frac{-3}{27}$$
$$\frac{-4}{27} = \frac{-4\times 1}{27\times 1} = \frac{-4}{27}$$

$$\frac{(-3)}{27} + \frac{(-4)}{27} = \frac{-3-4}{27}$$

$$=\frac{-7}{27}$$

The denominators of the given numbers are 24 and 18

L.C.M. of 24 and 18 is 72.

$$= \frac{-27 + (-4)}{72}$$

$$= \frac{-27 - 4}{72}$$

$$= \frac{-31}{72}$$

$$(viii)\frac{27}{-4} + \left(\frac{-15}{8}\right)$$

We need a positive denominator.

$$\frac{27}{-4} \times \frac{-1}{-1} = \frac{-27}{4}$$

The denominators of the given rational numbers are 4 and 8.

L.C.M. of 4 and 8 is 8.

$$\frac{-27}{4} = \frac{-27 \times 2}{4 \times 2} = \frac{-54}{8}$$
$$\frac{\left(-15\right)}{8} = \frac{\left(-15\right) \times 1}{8 \times 1} = \frac{-15}{8}$$

Now,
$$\frac{-54}{8} + \frac{(-15)}{8}$$

= $\frac{-54-15}{8}$
= $\frac{-69}{8}$

Q3

Answer:

(i)
$$\frac{-3}{5} + \frac{7}{5} + \frac{-1}{5}$$

L.C.M. of the given rational number is 5.

$$\frac{\binom{-3}{5} + \frac{7}{5} + \frac{\binom{-1}{5}}{5}}{= \frac{-3+7-1}{5}}$$
$$= \frac{-4+7}{5}$$
$$= \frac{3}{5}$$

(ii)
$$\frac{-12}{7} + \frac{3}{7} + \frac{-2}{7}$$

$$= \frac{(-12)}{7} + \frac{3}{7} + \frac{(-2)}{7}$$

$$= \frac{-12+3-2}{7}$$

$$= \frac{-14+3}{7}$$

$$= \frac{-11}{7}$$

(iii)
$$\frac{11}{-12} + \frac{3}{-8} + \frac{1}{4}$$

We need a positive denominator.

$$\frac{11}{-12} imes \frac{-1}{-1} = \frac{-11}{12}$$
 and $\frac{3}{-8} imes \frac{-1}{-1} = \frac{-3}{8}$

L.C.M. of the denominators 12, 8 and 4 is 24.

$$\therefore \frac{-11 \times 2}{12 \times 2} = \frac{-22}{24}$$

$$\frac{-3\times3}{8\times3} = \frac{-9}{24}$$

$$\frac{1\times6}{4\times6} = \frac{6}{24}$$

Now,
$$\frac{(-22)}{24} + \frac{(-9)}{24} + \frac{6}{24}$$

$$= \frac{-22 - 9 + 6}{24}$$

$$= \frac{-31 + 6}{24}$$
or

$$=\frac{24}{24}$$

$$(iv)^{\frac{-16}{9}} + \frac{-5}{12} + \frac{7}{18}$$

L.C.M. of the denominators 9, 12 and 18 is 36.

$$\frac{-16\times4}{9\times4} = \frac{-64}{36}$$

$$\frac{-5 \times 3}{12 \times 3} = \frac{-15}{36}$$
 $7 \times 2 \quad 14$

$$\frac{7\times2}{18\times2} = \frac{14}{36}$$

$$\begin{aligned}
&\frac{18 \times 2}{8} = \frac{36}{36} \\
&\text{Now, } \frac{\binom{-64}{36}}{36} + \frac{\binom{-15}{36}}{36} + \frac{14}{36} \\
&= \frac{-64 - 15 + 14}{36}
\end{aligned}$$

$$= \frac{-04-15+}{36}$$

$$-79+14$$

$$=\frac{-65}{36}$$

$$(v) - 3 + \frac{1}{8} = \frac{-2}{5}$$

L.C.M. of the denominators 1, 8 and 5 is 40.

$$\frac{-3 \times 40}{1 \times 40} = \frac{-120}{40}$$

$$\frac{1\times5}{8\times5} = \frac{5}{40}$$

$$\frac{-2 \times 8}{5 \times 8} = \frac{-16}{40}$$

Now,
$$\frac{(-120)}{40} + \frac{5}{40} + \frac{(-16)}{40}$$

$$=\frac{-120+5-16}{40}$$

$$= \frac{{40 \atop -136+5}}{40} = \frac{-131}{40}$$

$$(vi)^{\frac{-13}{8} + \frac{5}{16} + \frac{-1}{4}}$$

L.C.M. of the denominator 8, 16 and 4 is 16.

$$\frac{-13\times2}{8\times2} = \frac{-26}{16}$$

$$\frac{5\times1}{16\times1} = \frac{5}{16}$$

$$\frac{-1\times4}{4\times4} = \frac{-4}{16}$$

$$\frac{-1 \times 4}{4 \times 4} = \frac{-4}{16}$$
Now, $\frac{(-26)}{16} + \frac{5}{16} + \frac{(-4)}{16}$

$$=\frac{-26+5-4}{16}$$

Now,
$$\frac{-30+5}{16} = \frac{-25}{16}$$

Q4.

1,1,1

(i)
$$\frac{-8}{15} + \frac{2}{3}$$

We need a positive denominator.

$$\therefore \frac{2}{-3} \times \frac{-1}{-1} = \frac{-2}{3}$$

Now, L.C.M. of 15 and 3 is 15.

$$\frac{-8}{15} = \frac{-8 \times 1}{15 \times 1} = \frac{-8}{15}$$

$$\frac{-2}{3} = \frac{-2 \times 5}{3 \times 5} = \frac{-10}{15}$$

Now,
$$\frac{-8}{15} + \frac{-10}{15}$$

$$=\frac{-8-10}{15}$$

$$=\frac{-18}{15}$$

 $=\frac{-6}{5}$

$$\frac{-7}{10} + \frac{13}{-15} + \frac{27}{20}$$

We need a positive denominator.

$$\frac{13}{-15} \times \frac{-1}{-1} = \frac{-13}{15}$$

Now, L.C.M. of 10, 15 and 20 is 60.

$$\therefore \frac{-7}{10} = \frac{-7 \times 6}{10 \times 6} = \frac{-42}{60}$$

$$\frac{-13}{15} = \frac{-13 \times 4}{15 \times 4} = \frac{-52}{60}$$

$$\frac{27}{20} = \frac{27 \times 3}{20 \times 3} = \frac{81}{60}$$

Now,
$$\frac{-42}{60} + \frac{-52}{60} + \frac{81}{60}$$

$$=\frac{(-42)+(-52)+(81)}{60}$$

$$=\frac{-94+81}{60}$$

$$=\frac{-13}{60}$$

$$-1 + \frac{7}{-9} + \frac{11}{12}$$

We need a positive denominator.

$$\frac{7}{-9} \times \frac{-1}{-1} = \frac{-7}{9}$$

Now, L.C.M. of 1, 9 and 12 is 36.

$$\frac{-1}{1} = \frac{-1 \times 36}{1 \times 36} = \frac{-36}{36}$$

$$\frac{-7}{9} = \frac{-7 \times 4}{9 \times 4} = \frac{-28}{36}$$

$$\frac{11}{12} = \frac{11 \times 3}{12 \times 3} = \frac{33}{36}$$

$$\frac{-36}{36} + \frac{-28}{36} + \frac{33}{36} \\
= \frac{-36 - 28 + 33}{36}$$

$$=\frac{-36-28+33}{36}$$

$$=\frac{-31}{36}$$

$$=\frac{-31}{36}$$

(iv)
$$\frac{-31}{39} + \frac{5}{26} + \frac{2}{1}$$
L.C.M. of 39, 26 and 1 is 78.

$$\frac{-11}{39} = \frac{-31 \times 2}{39 \times 2} = \frac{-22}{78}$$

$$\frac{5}{26} = \frac{5 \times 3}{26 \times 3} = \frac{17}{18}$$

$$\frac{2}{1} = \frac{22 \times 78}{1 \times 78} = \frac{156}{18}$$
Now $\frac{-22}{78} + \frac{15}{78} + \frac{156}{18}$

$$= \frac{-22 \times 171}{78}$$

$$= \frac{149}{78}$$
(v)
$$2 + \frac{-1}{2} + \frac{-3}{4}$$
L.C.M. of 2 and 4 is 4.
$$2 = \frac{2 \times 4}{124} = \frac{8}{4}$$

$$\frac{-1}{2} = \frac{1 \times 2}{1 \times 4} = \frac{-3}{4}$$

$$\frac{3}{4} = \frac{-3 \times 1}{4 \times 4} = \frac{-3}{4}$$

$$= \frac{8 \times 2 \cdot 3}{4} = \frac{3}{4}$$

$$(vi) \frac{-9}{11} + \frac{2}{3} + \frac{-3}{4}$$
L.C.M. of 11, 3 and 4 is 132.
$$\frac{-9}{11} = \frac{-19 \times 12}{11 \times 12} = \frac{-108}{132}$$

$$\frac{2}{3} = \frac{3 \times 44}{3 \times 4} = \frac{38}{132}$$

$$\frac{-108}{132} + \frac{88}{132} + \frac{(-99)}{132}$$

$$= \frac{-108 \times 183}{132} = \frac{-199}{132}$$
Q5.

Answer:
$$(i) \frac{12}{5} = 2\frac{2}{5} = 2 + \frac{2}{5}$$

$$(ii) \frac{-11}{7} = (-\frac{11}{7}) = (-\frac{14}{7}) = -1 + (-\frac{4}{7})$$

$$(iii) \frac{-25}{9} = (-\frac{25}{9}) = -(2\frac{7}{9}) = -2 + (-\frac{7}{9})$$

$$(iv) \frac{-\frac{103}{20}}{-\frac{103}{20}} = -(\frac{103}{20}) = -(5\frac{3}{20}) = -5 + (-\frac{3}{20})$$

Rational Numbers Exercise 4D

Q1

Answer:

- (i) Additive inverse of 5 is -5.
- (ii) Additive inverse of -9 is 9.
- (iii) Additive inverse of $\, rac{3}{14} \,$ is $\, rac{-3}{14} \,$.
- (iv) Additive inverse of $\frac{-11}{15}$ is $\frac{11}{15}$
- (v) Additive inverse of $\frac{15}{-4}=\frac{15\times(-1)}{(-4)\times(-1)}$ $=\frac{-15}{4}$

(vi) Additive inverse of
$$\frac{-18}{-13}=\frac{-18\times(-1)}{(-13)\times(-1)}$$

$$=\frac{18}{13}$$

$$=\frac{-18}{13}$$

- (vii) Additive inverse of 0 is 0.
- (viii) Additive inverse of $\ \frac{1}{-6}=\frac{1 imes(-1)}{(-6) imes(-1)}$ $=\frac{-1}{6}$ $=\frac{1}{6}$

```
Answer:
(i)
\frac{1}{3} - \frac{3}{4} = \frac{1}{3} + \left(\text{additive inverse of } \frac{3}{4}\right)
L.C.M. of 3 and 4 is 12.
\frac{1}{3} + \left(-\frac{3}{4}\right) = \frac{4 + \left(-9\right)}{12} = \frac{-5}{12}
(ii)
\frac{1}{3} - \frac{\left(-5\right)}{6} = \frac{1}{3} + \left(\text{additive inverse of } \frac{-5}{6}\right)
L.C.M. of 3 and 6 is 6.
  (iii)
  \frac{(-3)}{5} - \left(\frac{-8}{9}\right) = \frac{(-3)}{5} + \left(additive inverse of \frac{-8}{9}\right)
 L.C.M. of 5 and 9 is 45.
  =\frac{-27+40}{45}
  =\frac{13}{45}
  (iv)
  \frac{\binom{-1}{1}}{1} - \frac{\binom{-9}{7}}{7} = \frac{\binom{-1}{1}}{1} + \left(\text{additive inverse of } \frac{-9}{7}\right)
 =\frac{(-1)}{1}+\frac{9}{7}
 L.C.M. of 7 and 1 is 7. =\frac{-7+9}{7}
  (v)
 \frac{1}{1}-\frac{\left(-18\right)}{11}=\frac{1}{1}+\left(\text{additive inverse of }\frac{-18}{11}\right)
 = \frac{(1)}{1} + \frac{18}{11}= \frac{11+18}{11}
  =\frac{29}{11}
 0 - \left(\frac{-13}{9}\right) = 0 + \left(\text{additive inverse of } \frac{-13}{9}\right)
  =0+\frac{13}{9}
  =\frac{13}{9}
  \frac{\left(-6\right)}{5}-\frac{\left(-32\right)}{13}=\frac{\left(-6\right)}{5}+\left(additive\ inverse\ of\ \frac{-32}{13}\right)
 a = \frac{-6}{5} + \frac{32}{13}
  L.C.M. of 5 and 13 is 65
```

```
\frac{-4}{7} - \frac{(-7)}{1} = \frac{-4}{7} + \left(\text{additive inverse of } \frac{-7}{1}\right)
   =\frac{(-4)}{7}+\frac{7}{1}
   L.C.M. of 7 and 1 is 7.
  (ix)
  \frac{-2}{3} - \frac{5}{9} = \frac{-2}{3} + \left(\text{additive inverse of } \frac{5}{9}\right)
  L.C.M. of 3 and 9 is 9.
  =\frac{-6-5}{9}
  =\frac{-11}{9}
  (x)
  \frac{-3}{5} - \frac{5}{1} = \frac{-3}{5} + \left(\text{additive inverse of } \frac{5}{1}\right)
  =\frac{-3}{5}-\frac{5}{1}
   L.C.M. of 5 and 1 is 5.
  =\frac{-3-25}{5}
  =\frac{-28}{5}
Q3
 Answer:
  ( i)
  =\frac{3}{4}-\frac{4}{5}=\frac{3}{4}+\left(\text{additive inverse of }\frac{4}{5}\right)
  L. C.M. 4 and 5 is 20. =\frac{15-16}{20}
   =\frac{-1}{20}
  \frac{-3}{1} - \frac{4}{7} = \frac{-3}{1} + \left(\text{additive inverse of } \frac{4}{7}\right)
```

(iii)
$$\frac{7}{24} - \frac{19}{36} = \frac{7}{24} + \left(\text{additive inverse of } \frac{19}{36}\right)$$

$$= \frac{7}{24} - \frac{19}{36}$$
L. C. M. of 24 and 36 is 72.
$$= \frac{21-38}{72}$$

$$= \frac{-17}{72}$$
(iv)
$$\frac{14}{15} - \frac{13}{20} = \frac{14}{15} + \left(\text{additive inverse of } \frac{13}{20}\right)$$

$$= \frac{14}{15} - \frac{13}{20}$$
L. C. M. of 15 and 20 is 60.
$$= \frac{56-39}{60}$$

$$= \frac{17}{60}$$
(v)
$$\frac{4}{9} - \frac{2}{(-3)}$$
We need a positive denominator.
$$\frac{2}{-3} \times \frac{(-1)}{(-1)} = \frac{-2}{3}$$

$$\frac{4}{9} - \frac{(-2)}{3} = \frac{4}{9} + \left(\text{additive inverse of } \frac{-2}{3}\right)$$
L. C. M. of 3 and 9 is 9.
$$= \frac{4+6}{9}$$

$$= \frac{10}{9}$$
(vi)
$$\frac{7}{11} - \frac{(-4)}{(-11)}$$
We need a positive denominator.
$$\frac{-4}{-11} \times \frac{(-1)}{(-1)} = \frac{4}{11}$$

$$\frac{7}{11} - \frac{4}{11} = \frac{7}{11} + \left(\text{additive inverse of } \frac{4}{11}\right)$$

$$= \frac{7-4}{-11}$$

(vii)
$$\frac{5}{14} - \frac{2}{7} = \frac{5}{14} + \left(\text{additive inverse of } \frac{2}{7}\right)$$
 $\frac{5}{14} + \frac{2}{7}$ L. C.M. of 14 and 7 is 14. $\frac{514}{14}$ $= \frac{1}{14}$ (viii) $\left(-\frac{5}{8}\right) - \left(-\frac{3}{4}\right)$ We need a positive denominator. $\frac{-5}{8} \times \frac{-1}{-1} = \frac{5}{8}$ [L.C.M. of 8 and 4 is 8.] $\frac{5}{8} - \frac{(-3)}{4} = \frac{5}{8} + \left(\text{additive inverse of } \frac{-3}{4}\right)$ L. C.M. of 8 and 4 is 8. $= \frac{516}{8}$ $= \frac{11}{8}$ Q4 Answer: First we will find the sum of $\frac{-39}{11}$ and $\frac{49}{22}$. $\frac{-39}{11} + \frac{49}{22}$ L. C.M. of 11 and 22 is 22. $= \frac{-72140}{11}$ $= \frac{22}{22}$ Now. we have to find the sum of $\frac{33}{8}$ and $\frac{-19}{4}$. $\frac{33}{8} + \frac{(-19)}{4}$ L. C.M. of 8 and 4 is 8. $= \frac{33-38}{8}$ $= \frac{-5}{8}$ Now, $\frac{(-5)}{8} - \frac{(-23)}{22}$ $= \frac{-5}{8} + \frac{23}{22}$ L. C.M. of 8 and 22 is 88. $= \frac{-55192}{88}$ $= \frac{37}{88}$ Q5 Answer: Let the other number that be x . $\frac{5}{7} + x = \frac{4}{21}$ $= > x = \frac{4-15}{21}$ $= > x = \frac{4-15}{21}$ $= > x = -\frac{11}{21}$ Hence, the required number is $\frac{-11}{21}$.

Downloaded from www.studiestoday.com

Let the other number be x. $\frac{3}{16} + x = \frac{-3}{8}$ $=>x=\frac{-3}{8}-\frac{3}{16}$ L.C.M. of 8 and 16 is 16. $=> x = \frac{-9}{16}$ Q7 Answer: Let the other number be x. $\frac{-15}{7} + x = -3$ $=> x = -3 - \frac{(-15)}{7}$ $=>x=rac{-21+15}{7}$ $=>x=rac{-6}{7}$ Hence, the required number is $\frac{-6}{7}$ Q8 Answer: Let the required number be x. $-5 + x = \frac{-4}{3}$ $=> x = \frac{-4}{3} + 5$ $=>x=rac{-4+15}{3}$ $=> x = \frac{11}{2}$ Hence, the requied number is $\frac{11}{3}$. Q9 Let the required number be x. $\frac{-3}{8} + x = \frac{5}{12}$ $=>x=rac{5}{12}-rac{(-3)}{8}$ Hence, the required number is $\frac{19}{24}$. Q10 Answer: Let the number that is to be added be x.

$$\frac{-12}{5} + x = 3$$
=> $x = 3 - \frac{(-12)}{5}$
=> $x = \frac{15+12}{5}$
=> $x = \frac{27}{5}$

Hence, the required number is $\frac{27}{5}$.

Let the number that is to be added be x $\frac{-5}{7} + x = \frac{-2}{3}$ $=> x = \frac{-2}{3} - \frac{(-5)}{7}$ L. C. M. of 3 and 7 is 21. $=> x = \frac{-14+15}{21}$ $=> x = \frac{1}{21}$ Hence, the required number is $\frac{1}{21}$. Q12 Answer: Let the number that is to be added be x $\frac{2}{0} + x = -1$ $=> x = -1 - \frac{2}{9}$ $=> x = \frac{-9-2}{9}$ Hence, the required number is $\frac{-11}{9}$. Q13 Let the required number that is to be added be x. $\left(\frac{-13}{4}+\frac{-3}{8}\right)+x=1$ $=>x=1-\left(rac{-13}{4}+rac{(-3)}{8} ight)$ L.C.M. of 4 and 8 is 8. $=1-\left(\frac{-26-3}{8}\right)$ $=1-\left(\frac{-29}{8}\right)$

Hence, the required number is $\frac{37}{9}$.


Q14

Answer

 $=1+\frac{29}{9}$

Let the required number that is to be subtracted be x.

$$\begin{array}{l} -\frac{3}{4} - x = \frac{5}{6} \\ = > -x = \frac{5}{6} - \frac{\left(-3\right)}{4} \\ \text{L. C. M. of 6 and 4 is 12.} \\ = > -x = \frac{10+9}{12} \\ = > -x = \frac{19}{12} \\ = > -x \times \left(-1\right) = \frac{19}{12} \times \left(-1\right) \\ = > x = -\frac{19}{12} \\ \text{Hence, the required number is } \frac{-19}{12}. \end{array}$$



Q16

Answer:

Let the required number that is to be subtracted be x.

$$\begin{array}{l} \frac{-3}{4} - x = 1 \\ => -x = 1 - \frac{(-3)}{4} \\ => -x = \frac{4+3}{4} \\ => -x = \frac{7}{4} \\ => x = -\frac{7}{4} \end{array}$$

Rational Numbers Exercise 4E

Q1

Answer:

$$(i)\frac{3}{4} \times \frac{5}{7} = \frac{(3\times5)}{(4\times7)} = \frac{15}{28}$$

$$\left(ii\right)\frac{\cancel{8}^{3}}{\cancel{8}_{1}} \times \frac{\frac{3\cdot2^{4}}{2}}{\frac{3}{1}} = \frac{(3\times4)}{(1\times1)} = 12$$

$$\left(\mathrm{iii}\right)\frac{7}{\Psi_1}\times\frac{\frac{2\cdot 4}{4}^4}{1}=7\times 4=28$$

$$\left(iv\right) \frac{-2}{-3} \times \frac{-6^2}{7} = \frac{\left(-2 \times 2\right)}{7} = \frac{-4}{7}$$

(v) We need a positive denominator.

$$\therefore \frac{10}{-3} \times \frac{-1}{-1} = \frac{-10}{3}$$

$$= \frac{-1 \cdot 2^4}{5_1} \times \frac{-1 \cdot 0^2}{3_1}$$


$$= (-4) \times (-2)$$

$$= 8$$

$$\left(vi\right)^{\frac{2\cdot 5^{\cdot 5}}{-9\cdot 3}} \times \frac{\frac{3^{\cdot 1}}{3^{\cdot 1}\cdot 9\cdot 2}}{\frac{1}{2^{\cdot 1}\cdot 9\cdot 2}} = \frac{5}{3} \times \frac{1}{2} = \frac{5}{6}$$

$$\left(\text{vii}\right) \frac{-7^{1}}{10_{1}} \times \frac{-40^{4}}{20_{3}} = \frac{4}{5}$$

$$\left(ix\right)^{\frac{-\frac{1}{3}\cdot 3^{1}}{\frac{1}{5}\cdot 5_{3}}\times \frac{-\frac{2}{2}\cdot 5^{5}}{\frac{2}{6}\cdot 6_{2}}=\frac{-1}{3}\times \frac{-5}{2}=\frac{5}{6}$$



$$(iv)$$

$$-13 \times \frac{17}{26}$$

$$= \frac{-\frac{1}{2} \cdot 3^{1} \times 17}{\frac{2}{2} \cdot 6^{2}}$$

$$= \frac{-17}{2}$$

$$(v)$$

$$\frac{-13}{5} \times \left(-\frac{1}{2} \cdot 0^{2}\right)$$

$$= 26$$

$$(vi)$$

$$\left(\frac{-9^{-1}}{1} \times \frac{(-6 \cdot 4^{4})}{2 \cdot 7_{3}}\right)$$

$$= \frac{4}{3}$$

$$Q4$$
Answer:
$$(i)$$

$$\left(\frac{1}{8_{2}} \times \frac{\frac{1-2^{3}}{2}}{\frac{1}{3}}\right) + \left(\frac{-4^{2}}{9_{3}} \times \frac{3^{1}}{-2_{1}}\right)$$

$$= \frac{3}{2} + \frac{2}{3}$$
L. C. M. of 2 and 3 is 6.
$$= \frac{9+4}{6}$$

$$\frac{13}{6}$$

$$(ii)$$

$$\left(\frac{16}{15} \times \frac{-25}{8}\right) + \left(\frac{-14}{27} \times \frac{6}{7}\right)$$

$$= \left(\frac{1+6^{2}}{27} \times \frac{-2\cdot 5^{3}}{8_{1}}\right) + \left(\frac{-1+4^{2}}{27} \times \frac{6}{7_{1}}\right)$$

$$= \left[\frac{2}{3} \times \frac{(-5)}{1}\right] + \left[\frac{(-2)}{27} \times \frac{6}{1}\right]$$

$$= \frac{(-10)}{3} + \frac{(-\frac{1+2}{2})}{2 \cdot 7^{9}}$$

$$= \frac{-10}{3} + \frac{-4}{9}$$
L. C. M. of 3 and 9 is 9.
$$= \frac{-30-4}{9}$$

(iii)
$$\left(\frac{6}{55} \times \frac{-22}{9} \right) - \left(\frac{26}{125} \times \frac{-10}{39} \right)$$

$$= \left(\frac{6^2}{5^4 - 5^4} \times \frac{-2 - 2^2}{9^3} \right) - \left(\frac{2 - 6^2}{1 - 2 - 5^2} \times \frac{-1 - 6^2}{9 - 9^3} \right)$$

$$= \left[\frac{(-4)}{15} - \frac{(-4)}{75} \right]$$

$$= \frac{-4}{15} + \frac{4}{75}$$
L. C. M. of 15 and 75 is 75.
$$= \frac{-20 + 4}{75}$$

$$= \frac{-16}{75}$$
(iv)
$$\left(\frac{-1 - 2^4}{7} \times \frac{-1 + 4^2}{2 - 7^9} \right) - \left(\frac{-8^1}{4 - 5^5} \times \frac{9^1}{16 - 2} \right)$$

$$= \left[\frac{(-4)}{1} \times \frac{(-2)}{9} \right] - \left[\frac{1}{5} \times \frac{1}{2} \right]$$

$$= \frac{8}{9} + \frac{1}{10}$$
L. C. M. of 9 and 10 is 90.
$$= \frac{80 + 9}{90}$$

$$= \frac{89}{90}$$
Q5
Answer:
$$\text{Cost of 1 meter cloth} = \text{Rs } 40 \frac{1}{2} \times 3 \frac{1}{2} \right)$$

$$= \text{Rs } \left(\frac{81}{2} \times \frac{7}{2} \right)$$

$$= \text{Rs } \left(\frac{81}{4} \times \frac{7}{2} \right)$$

$$= \text{Rs } \frac{567}{4}$$

$$= \text{Rs } 141.75$$
Q6
Answer:
$$\text{Distance covered in 1 hour} = 46 \frac{2}{3} \text{ km}$$

$$\text{Distance covered in 2 } \frac{2}{5} \text{ hours} = \left(46 \frac{2}{3} \times 2 \frac{2}{5} \right)$$

$$= \left(\frac{1 + 4 - 6^{28}}{9} \times \frac{1 + 2^4}{5^4} \right)$$

$$= (28 \times 4)$$

$$= 112 \text{ km}$$
Hence, the required distance is 112 km.

Rational Numbers Exercise 4F

Q1

Answer:

- (i) Multiplicative inverse of $18 = \frac{1}{18}$
- ii) Multiplicative inverse of $-16 = \frac{-1}{16}$
- iii) Multiplicative inverse of $\frac{13}{25} = \frac{25}{13}$
- iv) Multiplicative inverse of $\frac{-17}{12} = \frac{12}{-17}$
- v) Multiplicative inverse of $\frac{-6}{19} = \frac{19}{-6}$
- vi) Multiplicative inverse of $\frac{-3}{-5} = \frac{-5}{-3} = \frac{5}{3}$
- vii) Multiplicative inverse of $-1 = \frac{1}{-1} = -1$
- viii) Multiplicative inverse of $0 = \frac{1}{0} = infinity$

Hence, it does not exist.

Q2

Answer:

 $\left(\mathrm{i}\right)\frac{4}{9}\div\left(\frac{-5}{12}\right)$

$$= \frac{4}{8/3} \times \frac{1-2^4}{(-5)}$$

$$= \frac{4 \times 4}{3 \times (-5)}$$

$$= \frac{-16}{15}$$

$$(ii) - 8 \div \left(\frac{-5}{16}\right)$$

$$= -8 \times \frac{-16}{5}$$

$$= \frac{128}{5}$$

$$(iii) \frac{-12}{7} \div \left(-18\right)$$

$$= \frac{-1 \cdot 2^2}{7} \times \left(\frac{-1}{1 \cdot 8 \cdot 3}\right)$$

$$= \frac{2}{21}$$

$$(iv) \frac{-1}{10} \div \left(\frac{-8}{5}\right)$$

$$= \frac{-1}{1 \cdot 8^2} \times \left(\frac{5}{-8}\right)$$

$$= \frac{-1}{2} \times \frac{1}{(-8)}$$

$$= \frac{-1}{16}$$

$$= \frac{1}{16}$$

$$(v) \frac{-16}{35} \div \left(\frac{-15}{14}\right)$$

$$= \frac{-16}{3 \cdot 5 \cdot 5} \times \frac{1 \cdot 4^2}{(-15)}$$

$$= \frac{-32}{75}$$

$$= \frac{32}{75}$$

 $(vi)\left(\frac{-65}{14}\right) \div \left(\frac{13}{-7}\right)$

 $= \left(\frac{-\frac{-5}{0.5}^{5}}{\frac{1-4}{2}}\right) \times \frac{\left(-\frac{\pi}{1}\right)}{\frac{1}{3}}$

 $= \left(\frac{-5}{2}\right) \times \left(\frac{-1}{1}\right)$ $= \frac{5}{2}$

Downloaded from www.studiestoday.com

Q3
Answer:

(i)
$$(...7..) \div \frac{7}{15} = \frac{13}{13}$$
 $(...7..) = \frac{13}{19} \times \frac{7}{5}$
 $(...7..) = \frac{13}{19} \times \frac{7}{5}$
 $(...7..) = \frac{13}{19}$
(ii) $(...7..) \div (-3) = \frac{4}{13}$
 $(...7..) = \frac{1}{4} \times (-3)$
 $(...7..) = \frac{4}{5}$
(iii) $\frac{2}{3} \div (...7..) = \frac{3}{2}$
 $\frac{8}{3} \div (...7..) = \frac{3}{2}$
 $\frac{8}{3} \div (...7..) = \frac{9}{8} \times \frac{2}{(3)}$
 $(...7..) = \frac{3}{4}$
(iv) $(-12) \div (...7..) = \frac{-6}{5}$
 $(...7..) = (-12) \times (\frac{5}{6})$
 $(...7..) = 10$

Answer:

Sum = $\frac{66}{12} + \frac{8}{3} = \frac{66+32}{12} = \frac{97}{12}$
Difference = $\frac{66}{12} - \frac{8}{3} = \frac{66-32}{12} = \frac{33}{12}$
 $= \frac{97}{12} \div \frac{33}{33}$
Q5
Answer:

Let the required number be x .
 $\frac{44}{5} \div x = \frac{-14}{3}$
 $= > x = \frac{4+4}{3} \times \frac{3}{-4+4}$
 $= > x = \frac{4}{3}$
Q6
Answer:

Let the other number be x .
 $x \times (\frac{8}{13}) = 24$
 $x = 24 \div \frac{8}{15}$
 $= \frac{2+4}{3} \times (\frac{15}{-6})$
 $= \frac{48 \times (-1)}{-14 \times (-1)}$
 $= -45$
Q7

Answer:

Let the other number be x .
 $(x \times -8 = 10)$
 $= x = 10 \div (-8)$
 $= 10 \times \frac{1}{9}$
 $= 10 \times \frac{1}{9}$

Let the other number be x. $x \times (-12) = -9$ $=> x = -9 \div (-12)$ $=-9\times\left(\frac{1}{-12}\right)$ $=-9 \times \left(\frac{-1}{12}\right)$ Hence, the other number is $\frac{3}{4}$. Q9 Answer: Let the other number be x. $x \times \left(\frac{-4}{3}\right) = \frac{-16}{9}$ $\Rightarrow x = \frac{-16}{9} \div \left(\frac{-4}{3}\right)$ $=\frac{-\frac{1-6^4}{\cancel{8}_3}\times\left(\frac{\cancel{3}^1}{-\cancel{4}_1}\right)$ Hence, the other number is $\frac{4}{3}$. Q10 Answer: Let the required number be x. $x \times \left(\frac{-8}{39}\right) = \frac{5}{26}$ $=> x = \frac{5}{26} \div \left(\frac{-8}{39}\right)$ $= \frac{5}{\frac{3\cdot 6}{2\cdot 6}_2} \times \left(\frac{3\cdot 9\cdot 3}{-8}\right)$ Hence, the required number is $\frac{-15}{16}$. Q11 Length of the cloth required to prepare 24 trousers = 54 mLength of the cloth required for each pair of trouser $s=54\div24$ $=\frac{9}{4}=2\frac{1}{4}$ m Hence, $2\frac{1}{4}$ m length of cloth is required for each pair of trousers. Q12 Answer: Length of a rope = 30 mNumber of pieces = 30 \div 3 $\frac{3}{4}$ = 30 \div $\frac{15}{4}$ $=^2 \frac{3}{3} \frac{0}{0} \times \frac{4}{15}$ Hence, the number of pieces would be 8. Q13 Cost of $2\frac{1}{2}$ m cloth = Rs $78\frac{3}{4}$ Cost of cloth per meter = $78\frac{3}{4} \div 2\frac{1}{2}$ $= \frac{\frac{3 + 5^{63}}{4_2}}{\frac{1}{4_2}} \times \frac{\cancel{z}^1}{\cancel{5}_1}$ $= \text{Rs } \frac{63}{2} = Rs \ 31 \ \frac{1}{2}$

Downloaded from www.studiestoday.com

Rational Numbers Exercise 4G

Q1
Answer:

(b)
$$\frac{-3}{5}$$

33 $\frac{)}{55}$ (1
 $\frac{-33}{22}$) $\frac{33}{33}$ (1
 $\frac{-22}{11}$) $\frac{22}{22}$ (2
 $\frac{-22}{x}$

H.C.F. of 33 and 55 is 11
 $\frac{-33 \div 11}{55 \div 11} = \frac{-3}{5}$

Q2
Answer:

(b) $\frac{-6}{7}$

102 $\frac{)}{17}$ 102 (6
 $\frac{-102}{x}$

H.C.F. of 102 and 119 is 17
 $\frac{-102 \div 17}{119 \div 17} = \frac{-6}{7}$

The standard form of $\frac{-102}{119}$ is $\frac{-6}{7}$

```
The correct option is (a).
  The value of x is -14.
 \left[x = \frac{7 \times 6}{-3} = \frac{\frac{4 - 2}{2}^{14}}{\frac{-3}{2}} = -14\right]
04
 Answer:
  The correct option is (c).
  \frac{14}{9} should be added to \frac{-5}{9} to get 1.
  Let the required number be x.
  x + \left(\frac{-5}{9}\right) = 1
 x = 1 - \frac{(-5)}{9} = \frac{9+5}{9} = \frac{14}{9}
Answer:
The correct option is (b).
Let the number that is to be subtracted be x.
 \frac{-3}{4} - x = \frac{5}{6}
=> -x = \frac{5}{6} - \left(\frac{-3}{4}\right)
=>-x=\frac{5}{6}+\frac{3}{4}
=>-x=rac{\left(5	imes2
ight)+\left(3	imes3
ight)}{12}
=>x=-rac{19}{12}
Hence, -\frac{19}{12} should be subtracted from \frac{-3}{4} to get \frac{5}{6}.
Q6
   The correct option is (a).
 \frac{5 \times -1}{-6 \times -1} = \frac{-5}{6}
 L.C.M. of 6 and 12 is 12.
 \therefore \frac{-5 \times 2}{6 \times 2} = \frac{-10}{12} and \frac{-7 \times 1}{12 \times 1} = \frac{-7}{12}
 Hence, \frac{5}{-6} is smaller than \frac{-7}{12}.
Q7
  Answer:
  The correct option is (a).
  \frac{2 \times -1}{-3 \times -1} = \frac{-2}{3}
  L.C.M. of 3 and 5 is 15.
  \therefore \frac{-2 \times 5}{3 \times 5} = \frac{-10}{15} and \frac{-4 \times 3}{5 \times 3} = \frac{-12}{15}
  Thus, \frac{2}{-3} is greater than \frac{-4}{5}.
Q8
 Answer:
  The correct option is (c).
  Reciprocal of -6 is \frac{-1}{6}.
Q9
  The correct option is (b).
  Multiplicative inverse of \frac{-2}{3} is \frac{-3}{2}.
```

```
Q10
Answer:
 The correct option is (a).
   -2\frac{1}{9} - 6
=\frac{-19}{9} - 6 = \frac{-19-54}{9}
=\frac{-73}{9}=-8\frac{1}{9}
011
Answer:
 The correct option is (c).
    \frac{-6}{13} - \frac{[-7]}{15}
 L.C.M. of 13 and 15 is 195.
 =\frac{-6}{13} - \frac{[-7]}{15}
  =\frac{-90+91}{195}
   =\frac{1}{195}
Q12
 The correct option is (b).
-2\frac{1}{3}+4\frac{3}{5}
=\frac{-7}{3}+\frac{23}{5}
L.C.M. of 5 and 5 is 15.
=\frac{-35+69}{15}
  =\frac{34}{15}
 =2\frac{4}{15}
Q13
  The correct option is (b).
  \frac{2}{3} - 1\frac{5}{7}
 =\frac{2}{3}-\frac{12}{7}
 L.C.M. of 3 and 7 is 21.
  =-1\frac{1}{21}
Q14
Answer:
The correct option is (b).
  \frac{-5}{12} is greater than \frac{-4}{9}.
 L.C.M. of 9 and 12 is 36.
 \frac{-5\times3}{12\times3} = \frac{-15}{36}
 \frac{-4 \times 4}{12 \times 4} = \frac{-16}{36}
 (-15) > (-16)
  \frac{-5}{12} > \frac{-4}{9}
Q15
```

The correct option is (b). $\frac{-9}{14} + ? = -1$ $\therefore ? = -1 - \frac{(-9)}{14}$ Q16 Answer: $\left(a\right)\frac{3}{4}$ $\frac{5}{4} - \frac{7}{6} - \frac{(-2)}{3}$ L.C.M. of 4, 6 and 3 is 12. $=\frac{-9^{\frac{3}{4}}}{1-2_{\frac{4}{4}}}=\frac{3}{4}$ Q17 Answer: (b) 2 $1 \div \frac{1}{2}$ $=1\times\frac{2}{1}$ =2Q18 Answer: $\left(a\right) \frac{-35}{18}$ $? = \frac{5}{12} \div \frac{(-3)}{14}$ $= \frac{5}{12} \times \frac{14}{(-3)}$ $= \frac{70}{-36}$ $= \frac{35 \times -1}{-18 \times -1}$ $? = \frac{-35}{18}$ Q19 Answer: (c) 0 $0 \div \frac{-7}{5} = 0$ Q20 Answer:

(d) Not defined

This is because $\frac{-3}{8} \div 0$ is not defined.